

SCADA Series

Telemetry Systems

2014 Catalog


HCP Pumps America

HCP Pumps America offers low cost solutions to monitor and control remote equipment from anywhere. The Info-Portal gives a user the ability to receive alert notifications in multiple formats based on the user's preference.

Displays

Easily create customized displays to view your information.

Design your own displays or have us make them for you.



Alerts

Time	Name	Status	Initial Value	Initial Process	Action By
10:22:48 PM	Block 1-Combin. Filtr	Offline	Offline	Offline	COMER
10:22:48 PM	Block 2-Combin. Filtr	Offline	Offline	Offline	COMER
10:22:48 PM	Block 1-Cooling Water Pump Running	On	On	On	COMER
10:22:48 PM	Block 2-Cooling Water Pump Running	On	On	On	COMER
10:22:48 PM	Block 1-Loading Water Pump Running	On	On	On	COMER
10:22:48 PM	Block 2-Loading Water Pump Running	On	On	On	COMER
10:22:48 PM	Block 1-Disinfection Chlorine Pump Running	On	On	On	COMER
10:22:48 PM	Block 2-Disinfection Chlorine Pump Running	On	On	On	COMER
10:22:48 PM	Block 1-Mechanical Filter Running	On	On	On	COMER
10:22:48 PM	Block 2-Mechanical Filter Running	On	On	On	COMER
10:22:48 PM	Block 1-Lubrication Pump Running	On	On	On	COMER
10:22:48 PM	Block 2-Lubrication Pump Running	On	On	On	COMER
10:22:48 PM	Block 1-Compressor Main Motor Running	On	On	On	COMER
10:22:48 PM	Block 2-Combin. Filtr	On	On	Offline	COMER
10:22:48 PM	Block 2-Combin. Filtr	On	On	Offline	COMER

Setup your notification schedule and get alerts anywhere.

Alerts sent as a voice call, email, SMS, and/or page.

Reports/Trends

Generate printable trend charts based on what you want to see.

Produce customized reports in excel format.



Wave Guardian Zeus

Description	Auto dialer, that supports up to 8 channels	All-in-one, combines on-board discrete and analog inputs	Advanced Protocol Bridge
Inputs	8 Discrete Inputs	8 Analog Inputs Up to 32 Discrete Inputs	Up to 5 Data-Blocks
D-C Communication	Ethernet Port 10/100 MB	Ethernet Port 10/100 MB	Ethernet Port 10/100 MB
Device Communication	Wired I/O	Wired I/O	RS 232 Serial Ports and Industrial Ethernet
Dimensions	6 x 4 x 1.2 inches	6.3 x 6.5 x 4 inches	6 x 4 x 1.5 inches
Power	9 to 24 volts, DC or AC	8 to 36 volts DC at 0.1 to 1 amps	120 VAC Nominal 200 Watts

DISTRIBUTOR:



Innovation • Professionalism • Service

HCP PUMPS AMERICA, INC.